

belux koi-s & koi-q



Naoto Fukasawa, 2017


belux koi-s/q combines form and function in an astounding manner, because Naoto Fukasawa's credo "super normal design" reflects the design in a matter-of-fact way.

The consistently slim-line construction makes belux koi-s/q appear still more delicate and elegant. The luminaire family is thus particularly suitable for offices in which a cosier atmosphere is to be generated or for the home office.

Despite its smaller size, belux koi-s/q provides an impressive 9000 lumens of non-directional LED light. For extra comfort, the direct and indirect light can be dimmed independently of each other. With a UGR of <13, the luminaire family is also outstandingly well de-glared.

The electronics are located in the luminaire head, thus eliminating extra boxes. The maintenance of the luminaires was also considered: the lamp shade can be removed without tools and the cleaning of the inside of the diffuser plate is simple.

belux koi-s/q is available as a floor lamp, a pendant luminaire, a table lamp and a ceiling luminaire in the colours white, black and chrome. Lighting concepts can thus be implemented even more consistently.



# belux koi-s

Naoto Fukasawa, 2017

The consistently slim-line construction makes belux koi -s appear more delicate and distinctly elegant. Thanks to these features it is particularly suitable for offices in which a cosier atmosphere is to be generated. For extra comfort, the direct and indirect lighting can be dimmed independently of each other. The range includes standard, pendant and desk-mounted lights in white, black and chrome.



disk floor lamp



disk suspension




disk table mounted




disk ceiling luminaire






koi-s standing light



koi-s desk mounted luminaire universal-d



koi-s desk mounted luminaire for USM Haller



easy maintenance access

**koi-s standing light**  
Material: PC, steel, aluminium, with black power cable

**koi-s desk mounted luminaire universal-d**  
Material: PC, steel, aluminium, with black power cable

**koi-s desk mounted luminaire for USM Haller**  
Material: PC, steel, aluminium, with black power cable

	CRI	CCT	Wattage	Efficacy	Lumen @4000K	UGR	Söllner
① LED	CRI80+	3000K/4000K	78W	114lm/W	total 8900lm direct 2930lm indirect 5970lm	<13	</=3kcd/m² 65°

Colour	Light source	Basic code	8030	3000K	8040	4000K	TD	MS	Order number	
CR	①	<b>KOIS10B-14</b>	●	●	●	●	●	●	KOIS10B-14-8030-TD KOIS10B-14-8030-MS KOIS10B-14-8040-TD KOIS10B-14-8040-MS	1570.00 1730.00 1570.00 1730.00
WE	①	<b>KOIS10B-16</b>	●	●	●	●	●	●	KOIS10B-16-8030-TD KOIS10B-16-8030-MS KOIS10B-16-8040-TD KOIS10B-16-8040-MS	1445.00 1605.00 1445.00 1605.00
SW	①	<b>KOIS10B-15</b>	●	●	●	●	●	●	KOIS10B-15-8030-TD KOIS10B-15-8030-MS KOIS10B-15-8040-TD KOIS10B-15-8040-MS	1445.00 1605.00 1445.00 1605.00
CR	①	<b>KOIS46B-14</b>	●	●	●	●	●	●	KOIS46B-14-8030-TD KOIS46B-14-8030-MS KOIS46B-14-8040-TD KOIS46B-14-8040-MS	1570.00 1730.00 1570.00 1730.00
WE	①	<b>KOIS46B-16</b>	●	●	●	●	●	●	KOIS46B-16-8030-TD KOIS46B-16-8030-MS KOIS46B-16-8040-TD KOIS46B-16-8040-MS	1445.00 1605.00 1445.00 1605.00
SW	①	<b>KOIS46B-15</b>	●	●	●	●	●	●	KOIS46B-15-8030-TD KOIS46B-15-8030-MS KOIS46B-15-8040-TD KOIS46B-15-8040-MS	1445.00 1605.00 1445.00 1605.00
CR	①	<b>KOIS43B-13</b>	●	●	●	●	●	●	KOIS43B-13-8030-TD KOIS43B-13-8030-MS KOIS43B-13-8040-TD KOIS43B-13-8040-MS	1570.00 1730.00 1570.00 1730.00
SW	①	<b>KOIS43B-14</b>	●	●	●	●	●	●	KOIS43B-14-8030-TD KOIS43B-14-8030-MS KOIS43B-14-8040-TD KOIS43B-14-8040-MS	1445.00 1605.00 1445.00 1605.00


**REMARKS**


**General:** Direct and indirect light can be separately switched and dimmed, light distribution: 33% direct/67% indirect

**koi-s standing light:** converter integrated in luminaire head  
**koi-s desk mounted luminaire universal-d:** Supplied with threaded adapter designed for any table top from 15 to 35mm thickness, cable outlet downwards, features a cable-integrated converter


**koi-s desk-mounted luminaire for USM Haller:** Supplied with mounting adapter designed to fit into the USM Haller table leg; not compatible with height adjustable tables, cable outlet sideways, features a converter integrated in luminaire head  
**CR:** Chrome, base in black (koi-s standing light only)  
**WE:** White  
**SW:** Black  
Ⓜ IP 20  
LED A - A++

koi-s standing light/  
desk mounted luminaire  
114lm/W@4000K






koi-s penant light



koi-s ceiling light fixture



easy maintenance access

**koi-s pendant light (0,5m)**  
Material: PC, ABS, steel, aluminium

**koi-s pendant light (1m)**  
Material: PC, ABS, steel, aluminium

**koi-s pendant light (2m)**  
Material: PC, ABS, steel, aluminium

**koi-s ceiling light fixture**  
Material: PC, ABS, steel, aluminium

Colour	Light source	Basic code	8030 3000K	8040 4000K	DD Dimmable DALI, on site	MS Multisens, self-adjusting	Order number	
CR	①	<b>KOIS30B-11</b>	●	●	●	●	KOIS30B-11-8030-DD	1270.00
			●	●	●	●	KOIS30B-11-8030-MS	1430.00
			●	●	●	●	KOIS30B-11-8040-DD	1270.00
			●	●	●	●	KOIS30B-11-8040-MS	1430.00
WE	①	<b>KOIS30B-17</b>	●	●	●	●	KOIS30B-17-8030-DD	1145.00
			●	●	●	●	KOIS30B-17-8030-MS	1305.00
			●	●	●	●	KOIS30B-17-8040-DD	1145.00
			●	●	●	●	KOIS30B-17-8040-MS	1305.00
SW	①	<b>KOIS30B-14</b>	●	●	●	●	KOIS30B-14-8030-DD	1145.00
			●	●	●	●	KOIS30B-14-8030-MS	1305.00
			●	●	●	●	KOIS30B-14-8040-DD	1145.00
			●	●	●	●	KOIS30B-14-8040-MS	1305.00
CR	①	<b>KOIS30B-12</b>	●	●	●	●	KOIS30B-12-8030-DD	1370.00
			●	●	●	●	KOIS30B-12-8030-MS	1530.00
			●	●	●	●	KOIS30B-12-8040-DD	1370.00
			●	●	●	●	KOIS30B-12-8040-MS	1530.00
WE	①	<b>KOIS30B-18</b>	●	●	●	●	KOIS30B-18-8030-DD	1245.00
			●	●	●	●	KOIS30B-18-8030-MS	1405.00
			●	●	●	●	KOIS30B-18-8040-DD	1245.00
			●	●	●	●	KOIS30B-18-8040-MS	1405.00
SW	①	<b>KOIS30B-15</b>	●	●	●	●	KOIS30B-15-8030-DD	1245.00
			●	●	●	●	KOIS30B-15-8030-MS	1405.00
			●	●	●	●	KOIS30B-15-8040-DD	1245.00
			●	●	●	●	KOIS30B-15-8040-MS	1405.00
CR	①	<b>KOIS30B-13</b>	●	●	●	●	KOIS30B-13-8030-DD	1515.00
			●	●	●	●	KOIS30B-13-8030-MS	1670.00
			●	●	●	●	KOIS30B-13-8040-DD	1515.00
			●	●	●	●	KOIS30B-13-8040-MS	1670.00
WE	①	<b>KOIS30B-19</b>	●	●	●	●	KOIS30B-19-8030-DD	1385.00
			●	●	●	●	KOIS30B-19-8030-MS	1545.00
			●	●	●	●	KOIS30B-19-8040-DD	1385.00
			●	●	●	●	KOIS30B-19-8040-MS	1545.00
SW	①	<b>KOIS30B-16</b>	●	●	●	●	KOIS30B-16-8030-DD	1385.00
			●	●	●	●	KOIS30B-16-8030-MS	1545.00
			●	●	●	●	KOIS30B-16-8040-DD	1385.00
			●	●	●	●	KOIS30B-16-8040-MS	1545.00
CR	②	<b>KOIS20B-11</b>	●	●	●	●	KOIS20B-11-8030-DD	830.00
			●	●	●	●	KOIS20B-11-8030-MS	990.00
			●	●	●	●	KOIS20B-11-8040-DD	830.00
			●	●	●	●	KOIS20B-11-8040-MS	990.00
WE	②	<b>KOIS20B-13</b>	●	●	●	●	KOIS20B-13-8030-DD	765.00
			●	●	●	●	KOIS20B-13-8030-MS	925.00
			●	●	●	●	KOIS20B-13-8040-DD	765.00
			●	●	●	●	KOIS20B-13-8040-MS	925.00
SW	②	<b>KOIS20B-12</b>	●	●	●	●	KOIS20B-12-8030-DD	765.00
			●	●	●	●	KOIS20B-12-8030-MS	925.00
			●	●	●	●	KOIS20B-12-8040-DD	765.00
			●	●	●	●	KOIS20B-12-8040-MS	925.00

	CRI	CCT	Wattage	Efficacy	Lumen @4000K	UGR	Söllner
①	LED	CRI80+	3000K/4000K	78W	114lm/W	total 8900lm direct 2930lm indirect 5970lm	<13 </=3kcd/m² 65°
②	LED	CRI80+	3000K/4000K	33W	89lm/W	2930lm	<19 </=3kcd/m² 65°

**REMARKS**


**General:** Dimmable (DD) via DALI protocol or Push, converter integrated in luminaire head, LED service life: 50,000h (L85/B30) Safety class I

**koi-s pendant light:** Pendant tube may be cut to size on site, direct and indirect light can be separately switched and dimmed, light distribution: 33% direct/67% indirect,


**koi-s ceiling light fixture:** Light distribution: 100% direct

**CR:** Chrome  
**WE:** White  
**SW:** Black  
@ IP 20  
LED A – A++

koi-s pendant light  
114lm/W@4000K



koi-s ceiling light  
89lm/W@4000K





# belux koi-q

Naoto Fukasawa, 2017

In addition to the square head which gives the lamp a spatially clear orientation, belux koi-q also differs from the classic version in other ways. Its styling is modelled on belux koi-s which features a more delicate concept by comparison with belux koi. The result is an aesthetically distinctly elegant lamp. Thanks to these features it is particularly suitable for offices in which a cosier atmosphere is to be generated.




koi-s floor lamp



koi-s suspension




koi-s table mounted




koi-s ceiling luminaire






koi-q standing light



koi-q desk mounted luminaire universal-d



koi-q desk mounted luminaire for USM Haller



Colour	Light source	Basic code	8030	3000K	8040	4000K	TD	MS	Order number	
CR	①	<b>KOIQ10B-14</b>	●	●	●	●	●	●	KOIQ10B-14-8030-TD	1570.00
									KOIQ10B-14-8030-MS	1730.00
									KOIQ10B-14-8040-TD	1570.00
									KOIQ10B-14-8040-MS	1730.00
WE	①	<b>KOIQ10B-16</b>	●	●	●	●	●	●	KOIQ10B-16-8030-TD	1445.00
									KOIQ10B-16-8030-MS	1605.00
									KOIQ10B-16-8040-TD	1445.00
									KOIQ10B-16-8040-MS	1605.00
SW	①	<b>KOIQ10B-15</b>	●	●	●	●	●	●	KOIQ10B-15-8030-TD	1445.00
									KOIQ10B-15-8030-MS	1605.00
									KOIQ10B-15-8040-TD	1445.00
									KOIQ10B-15-8040-MS	1605.00
CR	①	<b>KOIQ46B-14</b>	●	●	●	●	●	●	KOIQ46B-14-8030-TD	1570.00
									KOIQ46B-14-8030-MS	1730.00
									KOIQ46B-14-8040-TD	1570.00
									KOIQ46B-14-8040-MS	1730.00
WE	①	<b>KOIQ46B-16</b>	●	●	●	●	●	●	KOIQ46B-16-8030-TD	1445.00
									KOIQ46B-16-8030-MS	1605.00
									KOIQ46B-16-8040-TD	1445.00
									KOIQ46B-16-8040-MS	1605.00
SW	①	<b>KOIQ46B-15</b>	●	●	●	●	●	●	KOIQ46B-15-8030-TD	1445.00
									KOIQ46B-15-8030-MS	1605.00
									KOIQ46B-15-8040-TD	1445.00
									KOIQ46B-15-8040-MS	1605.00
CR	①	<b>KOIQ43B-13</b>	●	●	●	●	●	●	KOIQ43B-13-8030-TD	1570.00
									KOIQ43B-13-8030-MS	1730.00
									KOIQ43B-13-8040-TD	1570.00
									KOIQ43B-13-8040-MS	1730.00
SW	①	<b>KOIQ43B-14</b>	●	●	●	●	●	●	KOIQ43B-14-8030-TD	1445.00
									KOIQ43B-14-8030-MS	1605.00
									KOIQ43B-14-8040-TD	1445.00
									KOIQ43B-14-8040-MS	1605.00

**koi-q standing light**  
Material: PC, steel, aluminium, with black power cable

**koi-q desk mounted luminaire universal-d**  
Material: PC, steel, aluminium, with black power cable

**koi-q desk mounted luminaire for USM Haller**  
Material: PC, steel, aluminium, with black power cable


	CRI	CCT	Wattage	Efficacy	Lumen @4000K	UGR	Söllner
①	LED	CRI80+	3000K/4000K	78W	114lm/W	total 8900lm direct 2930lm indirect 5970lm	<13 </=3kcd/m² 65°


**REMARKS**

**General:** Direct and indirect light can be separately switched and dimmed, light distribution: 33% direct/67% indirect  
**koi-q standing light:** converter integrated in luminaire head  
**koi-q desk mounted luminaire universal-d:** Supplied with threaded adapter designed for any table top from 15 to 35mm thickness, cable outlet downwards, features a cable-integrated converter


**koi-q desk-mounted luminaire for USM Haller:** Supplied with mounting adapter designed to fit into the USM Haller table leg; not compatible with height adjustable tables, cable outlet sideways, features a converter integrated in luminaire head  
**CR:** Chrome, base in black (koi-q standing light only)  
**WE:** White  
**SW:** Black  
 @ IP 20  
 LED A – A++

koi-q standing light/  
desk mounted luminaire  
114lm/W@4000K






koi-q pendant light



koi-q ceiling light fixture



easy maintenance access

**koi-q pendant light (0,5m)**  
Material: PC, ABS, steel, aluminium

**koi-q pendant light (1m)**  
Material: PC, ABS, steel, aluminium

**koi-q pendant light (2m)**  
Material: PC, ABS, steel, aluminium

**koi-q ceiling light fixture**  
Material: PC, ABS, aluminium

		CRI	CCT	Wattage	Efficacy	Lumen @4000K	UGR	Söllner
①	LED	CRI80+	3000K/4000K	78W	114lm/W	total 8900lm direct 2930lm indirect 5970lm	<13	</=3kcd/m² 65°
②	LED	CRI80+	3000K/4000K	33W	89lm/W	2930lm	</=19	</=3kcd/m² 65°

Colour	Light source	Basic code	8030 3000K	8040 4000K	DD Dimmable DALI, on site	MS Multisens, self-adjusting	Order number	
CR	①	<b>KOIQ30B-11</b>	●	●	●	●	KOIQ30B-11-8030-DD	1270.00
			●	●	●	●	KOIQ30B-11-8030-MS	1430.00
			●	●	●	●	KOIQ30B-11-8040-DD	1270.00
WE	①	<b>KOIQ30B-17</b>	●	●	●	●	KOIQ30B-17-8030-DD	1145.00
			●	●	●	●	KOIQ30B-17-8030-MS	1305.00
			●	●	●	●	KOIQ30B-17-8040-DD	1145.00
SW	①	<b>KOIQ30B-14</b>	●	●	●	●	KOIQ30B-14-8030-DD	1145.00
			●	●	●	●	KOIQ30B-14-8030-MS	1305.00
			●	●	●	●	KOIQ30B-14-8040-DD	1145.00
CR	①	<b>KOIQ30B-12</b>	●	●	●	●	KOIQ30B-12-8030-DD	1370.00
			●	●	●	●	KOIQ30B-12-8030-MS	1530.00
			●	●	●	●	KOIQ30B-12-8040-DD	1370.00
WE	①	<b>KOIQ30B-18</b>	●	●	●	●	KOIQ30B-18-8030-DD	1245.00
			●	●	●	●	KOIQ30B-18-8030-MS	1405.00
			●	●	●	●	KOIQ30B-18-8040-DD	1245.00
SW	①	<b>KOIQ30B-15</b>	●	●	●	●	KOIQ30B-15-8030-DD	1245.00
			●	●	●	●	KOIQ30B-15-8030-MS	1405.00
			●	●	●	●	KOIQ30B-15-8040-DD	1245.00
CR	①	<b>KOIQ30B-13</b>	●	●	●	●	KOIQ30B-13-8030-DD	1515.00
			●	●	●	●	KOIQ30B-13-8030-MS	1670.00
			●	●	●	●	KOIQ30B-13-8040-DD	1515.00
WE	①	<b>KOIQ30B-19</b>	●	●	●	●	KOIQ30B-19-8030-DD	1385.00
			●	●	●	●	KOIQ30B-19-8030-MS	1545.00
			●	●	●	●	KOIQ30B-19-8040-DD	1385.00
SW	①	<b>KOIQ30B-16</b>	●	●	●	●	KOIQ30B-16-8030-DD	1385.00
			●	●	●	●	KOIQ30B-16-8030-MS	1545.00
			●	●	●	●	KOIQ30B-16-8040-DD	1385.00
CR	②	<b>KOIQ20B-11</b>	●	●	●	●	KOIQ20B-11-8030-DD	830.00
			●	●	●	●	KOIQ20B-11-8030-MS	990.00
			●	●	●	●	KOIQ20B-11-8040-DD	830.00
WE	①	<b>KOIQ20B-13</b>	●	●	●	●	KOIQ20B-13-8030-DD	765.00
			●	●	●	●	KOIQ20B-13-8030-MS	925.00
			●	●	●	●	KOIQ20B-13-8040-DD	765.00
SW	②	<b>KOIQ20B-12</b>	●	●	●	●	KOIQ20B-12-8030-DD	765.00
			●	●	●	●	KOIQ20B-12-8030-MS	925.00
			●	●	●	●	KOIQ20B-12-8040-DD	765.00

**REMARKS**


**General:** Dimmable (DD) via DALI protocol or Push, converter integrated in luminaire head; Safety class I

**koi-q pendant light:** Direct and indirect light can be separately switched and dimmed, light distribution: 33% direct/67% indirect


**koi-q ceiling light fixture:** Light distribution: 100% direct


**CR:** Chrome  
**WE:** White  
**SW:** Black  
② IP 20  
LED A - A++

koi-q pendant light  
114lm/W@4000K



koi-q ceiling light  
89lm/W@4000K





# belux colophon

## belux AG

Neufeldweg 6  
CH-5103 Möriken  
T +41 61 316 74 01  
F +41 61 316 75 99  
belux@belux.com

## belux.com

### Features detailed product information and provides

- Fact sheets for each product
- Tender texts for each product
- Assembly instructions and technical data for download
- Data base with hi-res pictures
- Animated pictures of luminaires that can be switched on and off

## belux.com/login

### The member area allows to

- Change account data
- Select the luminaires as available in your shop
- Order and download catalogues and price lists
- Personalise fact sheets with your company details
- Download the entire product database as spreadsheet

## General terms and conditions

belux AG's general terms and conditions (AGB) apply.  
These can be accessed on [belux.com/agb](http://belux.com/agb)

## General information

Prices valid from April 1<sup>st</sup>, 2021

- The publication of a new price list renders all previous prices invalid
- All prices are calculated ex works. All lamp prices are exclusive of illuminants, unless expressly provided otherwise
- Unless specifically indicated otherwise, all dimensions are in mm
- Even though belux takes all the necessary care to ensure the correctness of the published information, it accepts no liability for the correctness and completeness of the contents
- Images of products are by way of example only and may deviate from the original
- We reserve the right to make price changes, changes in dimension and construction
- The name belux, all products shown in this price list as well as all photographs are protected by law and must not be used commercially without written permission by belux AG, Möriken Switzerland. Copying and reproducing this price list or parts of it is only allowed with written permission by belux IP AG. The general terms and conditions of belux AG apply for all orders

**Concept, graphic design and realisation Catalogue**  
belux

**Coordination Catalogue**  
belux

**Photography**  
Serge Brison, belux

**Printer**  
Zwartopwit, Herenthout (B)

**Typeface**  
kreon  
kreon tabular

**Paper**  
offset recycled white



# belux offices

## **belux HQ**

Neufeldweg 6  
5103 Möriken  
Switzerland  
T +41 61 316 74 01  
belux@belux.com

## **belux Belgium**

Industrieweg Noord 1152  
3660 Oudsbergen  
Belgium  
T +32 89 81 97 80  
belgium@belux.com

## **belux Austria**

Kärntner Ring 4  
1010 Vienna  
Austria  
T +43 1 715 44 25  
austria@belux.com

## **belux China**

Rm 208, Building 5, N° 33  
Lane 672, Changle Road  
JingAn District  
Shanghai  
P.R. China  
china@belux.com

## **belux France**

5, rue d'Aboukir  
75002 Paris  
France  
T +33 1 44 50 53 54  
france@belux.com

## **belux Germany**

Brühler Straße 11-13  
50968 Cologne  
Germany  
Tel +49 221 937 22 0  
germany@belux.com

## **belux Italy**

Via V. Forcella 5  
20144 Milano  
Italy  
T +39 02 89 42 08 46  
italy@belux.com

## **belux Middle East**

Dubai Airport Free  
Zone Area (DAFZA)  
West Wing 6 (W6)  
Office 6 WA 420  
P.O. Box 293845  
Dubai  
United Arab Emirates  
T +971 4 6091 355  
middle.east@belux.com

## **belux North America & Canada**

20 Murray Hill Parkway  
Suite 180  
East Rutherford, NJ 07073  
USA  
T +1 516 470 9522  
usa@belux.com

## **belux Poland**

T +48 504 788 355  
Poland  
poland@belux.com

## **belux Russia**

T +79257081901  
Russia  
russia@belux.com

## **belux Scandinavia**

T +45 (0)71 37 02 39  
scandinavia@belux.com

## **belux South East Asia**

63a Club Street  
Singapore 069 437  
Singapore  
T +65 62 22 33 93  
singapore@belux.com

## **belux Spain**

Ángel Guimera 7-9 local C  
Barcelona 08017  
Spain  
T +34 600 462 551  
spain@belux.com

## **belux The Netherlands**

Danzigerbocht 39a  
1013 AM Amsterdam  
The Netherlands  
T +31 (0)2 02 153 333  
the.netherlands@belux.com

## **belux Turkey**

Sehit Murat Demirli  
Cad. Resadiye Yolu 76  
Alemdag-Ümraniye 34794  
Istanbul  
Turkey  
T +90 216 430 86 00  
turkey@belux.com

## **belux UK**

67 Maltings Place  
169 Tower Bridge Road  
London SE1 3LJ  
United Kingdom  
T +44 (0)20 7740 2112  
uk@belux.com